

### EBB 100 Electric Battery

Model	Volt	Capacity at 20hr (Ah)	Battery Dimension (m.m)				Approx Weight WithOut acid (Kgs.)	Approx With Acid (Kgs.)	Approx Acid Batt. (L)	Terminals Directions (L)
			L	W	H	TH				
EBB100T	12	100	406	170	213	243	22.5	32.5	7.8	-
EBB100V	12	100	406	170	213	262	22.5	32.5	7.8	-
EBB100LL	12	100	406	170	213	245	22.5	32.5	7.8	1
EBB100LR	12	100	406	170	213	245	22.5	32.5	7.8	2

### EBB 125 Electric Battery

Model	Volt	Capacity at 20hr (Ah)	Battery Dimension (m.m)				Approx Weight WithOut acid (Kgs.)	Approx With Acid (Kgs.)	Approx Acid Batt. (L)	Terminals Directions (L)
			L	W	H	TH				
EBB125T	12	125	406	170	213	243	24.0	34.8	8.4	-
EBB125V	12	125	406	170	213	262	24.0	34.8	8.4	-
EBB125LL	12	125	406	170	213	245	24.0	34.8	8.4	1
EBB125LR	12	125	406	170	213	245	24.0	34.8	8.4	2

### EBB 130 Electric Battery

Model	Volt	Capacity at 20hr (Ah)	Battery Dimension (m.m)				Approx Weight WithOut acid (Kgs.)	Approx With Acid (Kgs.)	Approx Acid Batt. (L)	Terminals Directions (L)
			L	W	H	TH				
EBB130T	12	130	500	181	209	255	32.0	42.8	8.4	-
EBB130V	12	130	500	181	209	258	32.0	42.8	8.4	-
EBB130LL	12	130	500	181	209	255	32.0	42.8	8.4	3
EBB130LR	12	130	500	181	209	255	32.0	42.8	8.4	4

### EBB 160 Electric Battery

Model	Volt	Capacity at 20hr (Ah)	Battery Dimension (m.m)				Approx Weight WithOut acid (Kgs.)	Approx With Acid (Kgs.)	Approx Acid Batt. (L)	Terminals Directions (L)
			L	W	H	TH				
EBB160T	12	160	505	219	209	255	38.5	51.5	10.2	-
EBB160V	12	160	505	219	209	258	38.5	51.5	10.2	-
EBB160LL	12	160	505	219	209	255	38.5	51.5	10.2	3
EBB160LR	12	160	505	219	209	255	38.5	51.5	10.2	4

### EV 65 Electric Battery

Model	Volt	Capacity at 5hr (Ah)	Capacity at 20hr (Ah)	Reserve Capacity Minutes at 75 Amps.	Battery Dimensions (mm.)				Initial Charge Before Use		Approx With Acid (Kgs.)
					L	W	H	TH	Charging Rate (Amps.)	Charging Time (Hrs.)	
EV65	12	65	80	35	224	201	303	250	8	10	24.8

### EV 130 X Electric Battery

Model	Volt	Capacity at 5hr (Ah)	Capacity at 20hr (Ah)	Reserve Capacity Minutes at 75 Amps.	Battery Dimensions (mm.)				Initial Charge Before Use		Approx With Acid (Kgs.)
					L	W	H	TH	Charging Rate (Amps.)	Charging Time (Hrs.)	
EV130X	12	104	130	57	328	171	211	251	13	10	28.4

